## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S100	1	S99 and ((combin\$3 or associat\$3) near15 (image or picture or text or photo or video or audio or fingerprint or biometirc)) near10 (metadata or (metaadj data) or attribute) with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 23:35
S99	28547	(@AD<"20020318" or @RLAD < "20020318") and (provid\$3 or provision\$3 or handl\$3 or servic\$3) with (mobile or wireless or portable or lightweight or PDA or cellular) and (remoe or network or external) near10 (stor\$3 or repository or disk or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 23:35
S98	1	S95 and ((combin\$3 or associat\$3) near15 (image or picture or text or photo or video or audio or fingerprint or biometirc)) near10 (metadata or (meta adj data)) with authenticat \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 23:00
S97	0	S95 and ((combin\$3 or associat\$3) near15 (photo or video or audio or fingerprint or biometirc)) near10 (metadata or (meta adj data)) with authenticat \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 22:59
S96	0	S95 and ((combin\$3 or associat\$3) with fingerprint) adj5 (metadata or (meta adj data)) with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 22:58

95 95	13958	(@AD<"20020318" or @RLAD <"20020318") and (provid\$3 or provision\$3 or handl\$3 or servic\$3) with (mobile or wireless or portable or lightweight or PDA or cellular) and (gateway or proxy or intermedia\$3 or mediary) and (remoe or network or external) near10 (stor\$3 or repository or disk or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 22:57
S94	2	(@AD<"20020318" or @RLAD < "20020318") and authenticat\$3 near15 fingerprint and combin\$3 near10 fingerprint with (ID or password or database) and (custom or customiz\$3 or personal\$6) near10 service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 14:29
S93	10	(@AD<"20020318" or @RLAD < "20020318") and authenticat\$3 near15 fingerprint and combin\$3 near10 fingerprint with (ID or password or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 14:29
S92	0	(@AD<"20020318" or @RLAD < "20020318") and authentiat\$3 near15 fingerprint and combin\$3 near10 fingerprint with (ID or password or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 14:29
S91	0	(@AD<"20020318" or @RLAD < "20020318") and authentiat\$3 near15 fingerprint and combin\$3 near10 fingerprint with (ID or password or database) and (custom or customiz\$3 or personal\$6) near10 service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 14:28
S90	22	S84 and (analysis or stor \$3) near10 feature near10 fingerprint with authenticat \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 10:32
S89	17	S84 and (analyz\$5 or stor \$3) near10 feature near10 fingerprint with authenticat \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 10:31

S88	17	S84 and stor\$3 near10 feature near10 fingerprint with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 10:31
S86	0	S85 and (meta or metadata) near10 feature near10 fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 10:29
S85	166	S84 and fingerprint with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 10:29
S84	549	(@AD<"20020318" or @RLAD <"20020318") and extract\$3 near10 feature near10 fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 10:28

6/11/09 11:01:19 AM

C:\ Documents and Settings\ WLin\ My Documents\ EAST\ Workspaces\ 10\_502280.wsp